



P-954-A

*EA of June
#5/a re
11/20/02
N. Brewer*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re: Application of: Staffan I. Kaempke

For: Bi-Rotational pump/actuator

Serial No.: 09/916,091

Filed: 07/26/2001

RECEIVED
NOV 19 2002
TECHNOLOGY CENTER R3700

Art Unit 3748
Examiner: John J. Vrablik
(703) 308-2629

* * * * *

AMENDMENT A

BOX PATENT APPLICATION
INCLUDING FEE AMENDMENT
Commissioner for Patents
Washington, D. C. 20231

ATTN: Honorable Commissioner for Patents

Dear Sir,

In response to the Office Action, mailed May 13, 2002, respecting the above captioned Application, said Action setting a three month, shortened, statutory period for response, expiring on August 13, 2002, kindly amend the above

captioned application as set forth hereinafter. Particularly note the amount of the enclosed check to wit \$460 pursuant to 1.136(a) (3). This Section provides that the submission of the fee will be construed as a constructive request for an extension of time for any concurrent reply or Amendment.

Further note that the \$460 is appropriate for a small entity within the "third month" following the shortened three month statutory period set by the Office Action. The two three month periods expire on November 13, 2002 and of course the present Amendment is deposited in the overnight mail on November 13, 2002.

First, as to the DRAWINGS;

DRAWINGS

The drawings are objected to because in FIG. 10, numeral 6a should be 7a. A corrected sheet of drawings is attached hereto showing Fig. 10 with the numeral 7a replacing the 6a.

Secondly, the SPECIFICATION as follows,

IN THE SPECIFICATION

At pages 14a through 14j kindly cancel the upper case letters, "**FIG.**" and substitute the word, ---- "TABLE"-----.